

FDA Adverse Event Reporting System (FAERS)
Quarterly Data Extract Drug ASCII File

Run by: ELIAS.MAZUR@FDA.HHS.GOV

Date - Time:09-JUL-2026 11:37:12

Search Criteria:

Start Date: 01-APR-2026

End Date: 30-JUN-2026

Null counts for selected data fields from Drug file

Column Name	Total Count	Missing Count
DOSE_VBM	1627225	502024
DRUGNAME	1627225	0
PROD_AI	1627225	35205
LOT_NUM	1627225	1287352
EXP_DT	1627225	1623596
NDA_NUM	1627225	1072560

FDA Adverse Event Reporting System (FAERS)**Quarterly Data Extract Drug ASCII File****Frequency counts for selected data fields from Drug file**

Column Name	COUNT	PERCENT
ROLE_COD: PS	530352	32.59
ROLE_COD: SS	452731	27.82
ROLE_COD: C	635555	39.05
ROLE_COD: I	8141	.50
ROLE_COD: DN	446	0
ROLE_COD: NULL	0	.02
VAL_VBM: VALIDATED TRADE NAME USED	1600187	98.33
VAL_VBM: VERBATIM NAME USED	27038	1.66
VAL_VBM: NULL	0	0
DECHAL: Y	105988	6.51
DECHAL: N	21781	1.33
DECHAL: U	546692	33.59
DECHAL: D	232824	14.30
DECHAL: NULL	719940	44.24
RECHAL: Y	3601	.22
RECHAL: N	5003	.30
RECHAL: U	412347	25.34
RECHAL: D	3669	.22
RECHAL: NULL	1202605	73.90

FDA Adverse Event Reporting System (FAERS)
Quarterly Data Extract Drug ASCII File

ROUTE	COUNT	PERCENT
NULL	1013885	62.30
1 every 1 Days	1	.00
Auricular	1	.00
Auricular (otic)	10	.00
Auricular use	2	.00
Bolus injection	1	.00
Buccal	66	.00
Buccal Infiltration	1	.00
Buccal and palatal	1	.00
Buccal use	111	.00
By Nebulizer	1	.00
By mouth	13	.00
Catheter	67	.00
Conjunctival	1	.00
Cutaneous	96	.00
Cutaneous use	261	.01
Dental	8	.00
Dental bruk, Infiltrasjon	1	.00
Dental use	6	.00
Disintegrating tablet	1	.00
Endocervical	44	.00
Endocervical use	175	.01
Endosinusial use	1	.00
Endotracheal	1	.00
Enteral	6	.00
Epidural	33	.00
Epidural use	29	.00
Epileisional use	25	.00
Extraamniotic use	6	.00
Extracorporeal use	3	.00
Free text route content	1	.00
G tube	3	.00
G-tube	6	.00
Gastric	1	.00
Gastric port	2	.00
Gastric use	4	.00
Gastroenteral	36	.00
Gastroenteral use	10	.00
Gastrostomy tube	1	.00
Hemodialysis	1	.00
IANB	1	.00
INFERIOR ALVEOLAR	2	.00
IV	8	.00
IV Infusion	1	.00

ROUTE	COUNT	PERCENT
IV Infusion every 3 weeks	1	.00
IV bolus	331	.02
IV drip	196	.01
IV infusion.	2	.00
IV push	1	.00
IV via mediport	1	.00
IVPB	1	.00
Implantation	1	.00
Inferior Alveolar Nerve Block	3	.00
Infiltration	7	.00
Infusion	7	.00
Ingested	20	.00
Ingesting	4	.00
Ingestion	583	.03
Inhalaltion	2	.00
Inhalation	112	.00
Inhalation use	664	.04
Inhalation via nebulizer	1	.00
Inhalational	3	.00
Inhale via Nebulizer	1	.00
Inhaled	791	.04
Injection	48	.00
Injection into the stomach	1	.00
Injection not otherwise specified	130	.00
Injected	1	.00
Int corp caver	2	.00
Interstitial	1	.00
Into the vein of the left foot	1	.00
Intra corpus cavernosum	2	.00
Intra-amniotic	1	.00
Intra-arterial	91	.00
Intra-articular	53	.00
Intra-uterine	44	.00
Intraamniotic use	1	.00
Intraarterial use	338	.02
Intraarticular use	98	.00
Intracameral use	13	.00
Intracardiac	202	.01
Intracardiac use	687	.04
Intracavernous	17	.00
Intracavernous use	28	.00
Intracerebroventricular use	16	.00
Intracervical	6	.00
Intracervical use	8	.00
Intracoronary	10	.00
Intracoronary use	2	.00
Intradermal	16	.00

ROUTE	COUNT	PERCENT
Intradermal use	12	.00
Intradetrusorial use	1	.00
Intraduodenal	72	.00
Intraglandular	4	.00
Intralesional	1	.00
Intralesional use	5	.00
Intramedullar (bone marrow)	1	.00
Intrameningeal	4	.00
Intramuscular	5344	.32
Intramuscular (via)	1	.00
Intramuscular injection	9	.00
Intramuscular use	1220	.07
Intranasal	34	.00
Intraocular	142	.00
Intraocular use	49	.00
Intrapericardial	3	.00
Intrapericardial use	4	.00
Intraperitoneal	9	.00
Intraperitoneal injection	2	.00
Intraperitoneal use	967	.05
Intrapleural	9	.00
Intrapleural use	4	.00
Intrapump injection	8	.00
Intrasinal	1	.00
Intrasynovial	12	.00
Intrathecal	313	.01
Intrathecal administration	2	.00
Intrathecal use	283	.01
Intrathoracic	2	.00
Intratracheal	5	.00
Intratumor	5	.00
Intrauterine use	251	.01
Intravascular	4	.00
Intravascular route of administration	1	.00
Intraven bolus	45	.00
Intraven drip	11	.00
Intravenous	64	.00
Intravenous (not otherwise specified)	20577	1.26
Intravenous (not specified)	7	.00
Intravenous bolus	375	.02
Intravenous bolus use	4	.00
Intravenous boluses	1	.00
Intravenous drip	14472	.88
Intravenous infusion	53	.00
Intravenous infusion via micro-pump	1	.00
Intravenous injection	1	.00
Intravenous use	18418	1.13

ROUTE	COUNT	PERCENT
Intravenous?bolus	2	.00
Intravenously guttae	1	.00
Intravesical	163	.01
Intravesical Instillation	4	.00
Intravesical use	141	.00
Intravesically	1	.00
Intravitreal	635	.03
Intravitreal use	796	.04
Iontophoresis	3	.00
JEJUNAL	1	.00
JEJUNAM	1	.00
Jejunal	580	.03
Jejunal tube	2	.00
Local	2	.00
Local infiltration	1	.00
Local infiltration	1	.00
Lower stomach area, switches sides	1	.00
NEBULIZER	4	.00
NG tube	1	.00
NG-tube	1	.00
Nasal	2205	.13
Nasal J tube	1	.00
Nasal J-tube	3	.00
Nasal spray	1	.00
Nasal use	248	.01
Nasoduodenal Tube	1	.00
Nasogastric	1	.00
Nebulisation use	2	.00
Nebuliser	2	.00
Nebulizer	10	.00
Nephrostomy	14	.00
Not Applicable	1	.00
Not provided	1	.00
ORALE	1	.00
Occlusive dressing technique	1	.00
Ocular	1	.00
Ocular use	84	.00
Ophthalmic	3028	.18
Ophthalmic	1	.00
Oral	59970	3.68
Oral Use	2	.00
Oral rinse	1	.00
Oral use	51105	3.14
Orally	8	.00
Oromucosal	6	.00
Oromucosal use	13	.00
Oropharyngeal	8	.00

ROUTE	COUNT	PERCENT
Oropharyngeal	24	.00
Oropharyngeal use	13	.00
Other	2408	.14
PO	6	.00
Parenteral	38	.00
Per semen	10	.00
Percutaneous	12	.00
Percutaneous J Tube	5	.00
Percutaneous J tubbe	2	.00
Percutaneous J tube	63	.00
Percutaneous J-Tube	2	.00
Percutaneous J-tube	365	.02
Percutaneous j tube	12	.00
Percutaneous tube	2	.00
Percutaneous-J tube	5	.00
Percutaneous-j tube	2	.00
Perfusion	1	.00
Periarticular	8	.00
Periarticular use	24	.00
Perineural	3	.00
Perineural use	7	.00
Peripheral	1	.00
Rectal	185	.01
Rectal suppository	1	.00
Rectal use	185	.01
Rectum	1	.00
Refused	1	.00
Respiratory	16	.00
Respiratory (inhalation)	1626	.09
Retrobulbar use	1	.00
Right knee	1	.00
SC	2	.00
SUBCUTANEOUSLY	1	.00
Solution for injection in administration system	1	.00
Sq	2	.00
Subconjunctival	13	.00
Subconjunctival use	33	.00
Subcutaneous	23258	1.42
Subcutaneous injection	16	.00
Subcutaneous on right side	1	.00
Subcutaneous or intramuscular use	2	.00
Subcutaneous use	25000	1.53
Subcutaneously	16	.00
Subdermal	210	.01
Sublingual	136	.00
Sublingual use	73	.00
Submucosal use	1	.00

ROUTE	COUNT	PERCENT
Suprachoroidal use	1	.00
Systemic External Use Incl Systemic App.	4	.00
T-port	1	.00
Topical	111133	6.82
Topical ophthalmic	1	.00
Transbuccal	2	.00
Transdermal	1552	.09
Transdermal use	291	.01
Transmammary	126	.00
Transmucosal	1	.00
Transplacental	5254	.32
UNDER THE SKIN	2	.00
Under the skin	3	.00
Unknown	252171	15.49
Urethral	12	.00
Urethral use	21	.00
V3H000000000148	1	.00
VIA NEBULIZER	2	.00
Vaginal	162	.00
Vaginal use	420	.02
Via G-tube	2	.00
Via Intravenous glucose tolerance test	1	.00
abdomen	1	.00
administered to the vascular scalp	3	.00
anterior sub-tendon	1	.00
anterior sub-tenon	1	.00
arm	3	.00
by Nebulizer	2	.00
by mouth	154	.00
by mouth Via Nebulizer	1	.00
by nebulizer	2	.00
capsule	1	.00
dental, Inferior dental nerve block	1	.00
dental, buccal nerve infiltration	1	.00
dental, palatine nerve block	1	.00
enteral	1	.00
for both eyes	1	.00
in the mouth	1	.00
ingested	38	.00
ingesting	6	.00
ingestion	18	.00
inhalation	1	.00
injection	2	.00
intramusc-dtoid	10	.00
intramusc-glut	313	.01
intravenous	22	.00
intravenous infusion	2	.00

ROUTE	COUNT	PERCENT
intravenous injection	1	.00
intravenously	1	.00
jejunal	171	.01
left thigh	1	.00
left upper arm	1	.00
local	1	.00
mucobuccal	1	.00
naso	1	.00
nebulizer	7	.00
on hands	1	.00
ophthalmic	1	.00
oral use	4	.00
orally	3	.00
per semen	3	.00
percutaneous J tube	4	.00
percutaneous J-tube	46	.00
percutaneous Jejunal tube	1	.00
percutaneous j tube	7	.00
percutaneous j-tube	3	.00
sc	2	.00
subcuta	1	.00
subcutaneous injection	7	.00
subcutaneous use route	1	.00
subcutaneously	6	.00
subutcutaneos	1	.00
systemic	2	.00
transdermal patch	1	.00
under the skin	17	.00
unk	1	.00
via G-button	7	.00
via G-tube	15	.00
via NG-tube	4	.00
via nebulizer	1	.00